

## BOSTIK EXPANDA PRO GUN FOAM

Version 1

Revision Date 01-Nov-2017 Supersedes Date: 28-Jun-2017

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product NameBOSTIK EXPANDA PRO GUN FOAMPure substance/mixtureMixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	No information available.
Uses Advised Against	No information available.

#### 1.3. Details of the supplier of the safety data sheet

Company Name Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand Tel: 04-567 5119 Fax: 04-567 5412 Manufacturer Bostik Australia Pty Ltd 51-71 High street, Thomastown Victoria Australia Tel: 613 9279-9333 Fax: 613 9279-9342 24-hr Emergency: 1800 033 111

## 1.4. Emergency telephone number

**Emergency Telephone** 

24 Hr: 0800 243 622 Poison Centre : 0800 764 766

E-mail address

SDS.AP@Bostik.com

## Section 2: HAZARD IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Acute toxicity - Oral	Category 4 (6.1D)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 (6.1D)
Skin Corrosion/Irritation	Category 2 (6.3A)
Serious Eye Damage/Eye Irritation	Category 2A (6.4A)
Respiratory sensitization	Category 1 (6.5A)
Skin sensitization	Category 1 (6.5B)
Carcinogenicity	Category 2 (6.7B)
STOT - Single Exposure	Category 3 ( <sup>f</sup> )
Specific target organ toxicity (repeated exposure)	Category 2 (6.9B)
Aerosols	Category 1

#### **ERMA Group**

HSR002517

2.2. Label Elements

## Safety Data Sheet

BOSTIK EXPANDA PRO GUN FOAM

Revision Date 01-Nov-2017 Supersedes Date: 28-Jun-2017



## **BOSTIK EXPANDA PRO GUN FOAM**

Version 1

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Mixture

#### 3.2 Mixtures

Chemical Name	CAS No.	Weight-%
Isocyanic acid, polymethylenepolyphenylene ester	9016-87-9	20- <40
2-Propanol, 1-chloro-, phosphate (3:1)	13674-84-5	20- <40
1,1-Difluoroethane	75-37-6	5 - <10

\*\*\* Any remaining ingredients are not hazardous

## Section 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

General Advice	Call 911 or emergency medical service. Remove and isolate contaminated clothing and shoes.		
Inhalation	Move victim to fresh air. If breathing is irregular or stopped, administer artificial respiration. Administer oxygen if breathing is difficult.		
Skin Contact	In case of contact with liquefied gas, thaw frosted parts with lukewarm water.		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.		
Ingestion	Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician. Rinse mouth. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.		
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms	None known.		
4.3. Indication of any immediate medical attention and special treatment needed			
Note to physicians	Keep victim warm and quiet.		
4.4. Reference to Other Sections			
Reference to other sections	Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION. Section 11: TOXICOLOGY INFORMATION.		
Section 5: FIRE-FIGHTING MEASURES			
5.1. Extinguishing media			
Suitable Extinguishing Media	Use extinguishing agent suitable for type of surrounding fire. Dry chemical or CO2.		

risk. Damaged cylinders should be handled only by specialists.

Unsuitable Extinguishing Media No information available.

#### 5.2. Special hazards arising from the substance or mixture

**Specific Hazards Arising from the** Some may burn but none ignite readily. Ruptured cylinders may rocket. **Chemical** 

Water spray, fog or regular foam. Move containers from fire area if you can do it without

## Safety Data Sheet

BOSTIK	EXPANDA PRO GUN FOAM
DOOTIN	

Version 1

Hazardous Combustion Products	Carbon monoxide. Carbon dioxide (CO2). Formaldehyde.		
5.3. Advice for firefighters			
Special Protective Equipment for Fire-fighters	Caution! Container under pressure. Heating causes rise in pressure with risk of bursting. Cool container with water spray.		
Section 6: ACCIDENTAL RE	LEASE MEASURES		
6.1. Personal precautions, protective equipment and emergency procedures			
Personal Precautions	Remove all possible sources of ignition in the surrounding area. Ensure adequate ventilation, especially in confined areas.		
OTHER INFORMATION	Ventilate the area.		
6.2. Environmental precautions			
Environmental Precautions	Use water spray to reduce vapors or divert vapor cloud drift. Avoid allowing water runoff to contact spilled material. Prevent entry into waterways, sewers, basements or confined areas.		
6.3. Methods and material for containment and cleaning up			
Methods for Containment	If possible, turn leaking containers so that gas escapes rather than liquid. Allow substance to evaporate.		
Methods for cleaning up	Do not direct water at spill or source of leak.		
6.4. Reference to other sections			
Reference to other sections	Section 7: HANDLING AND STORAGE Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 13: DISPOSAL CONSIDERATIONS		

## Section 7: HANDLING AND STORAGE

## 7.1. Precautions for safe handling

· · · · · · · · · · · · · · · · · · ·	—
Advice on safe handling	Ensure adequate ventilation, especially in confined areas. Use only in well-ventilated areas. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Pressurized container: Do not pierce or burn, even after use.
7.2. Conditions for safe storage, in	ncluding any incompatibilities
General Hygiene Considerations	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Recommended storage temperature. 10 - 35 °C. Observe local regulations / instructions for storage of pressurized containers.
Incompatible Materials	Strong oxidizing agents Acid anhydrides Strong acids
7.3. Specific end use(s)	
OTHER INFORMATION	No information available.
7.4. References to Other Sections	
Reference to other sections	Section 13: DISPOSAL CONSIDERATIONS. Section 10: STABILITY AND REACTIVITY.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

#### **Exposure Limits**

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL)	No information available		
Predicted No Effect Concentration (PNEC)	No information available		
OTHER INFORMATION	No information available		
8.2. Exposure controls			
Engineering Controls	Ensure adequate ventilation, especially in confined areas.		
PPE - Personal Protection Equipment			
Eye/Face Protection Skin and Body Protection	Wear safety glasses with side shields (or goggles). Wear suitable protective clothing. No special technical protective measures are necessary under normal conditions.		
Hand Protection	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of guality and various manufacturers.		
Respiratory Protection	No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of professional filter is recommended.		
General Hygiene Considerations	Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.		

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Appearance Color Odor Odor Threshold	Aerosol Beige Characteristic No information available	
Property pH Melting point / freezing point Boiling Point Flash Point Evaporation Rate Flammability (solid, gas) Flammability Limit in Air	<u>Values</u> No information available No information available No information available No information available No information available	<u>Remarks • Method</u>
Upper Flammability Limit Lower Flammability Limit Vapor Pressure Vapor Density Relative Density Water Solubility Solubility in Other Solvents Partition Coefficient	No information available No information available	

## Safety Data Sheet

#### BOSTIK EXPANDA PRO GUN FOAM Version 1

Revision Date 01-Nov-2017 Supersedes Date: 28-Jun-2017

Autoignition Temperature Decomposition Temperature Kinematic Viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties

9.2. Other information Softening Point Molecular Weight Solvent content (%) Solid content (%) Density Bulk Density VOC No information available No information available

No information available No information available No information available No information available 1.04 g/cm<sup>3</sup> No information available

## Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

Reactivity

None under normal use conditions.

10.2. Chemical stability

#### 10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Heating causes rise in pressure with risk of bursting.

10.5. Incompatible materials

Incompatible Materials

Strong oxidizing agents. Acid anhydrides. Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition Formaldehyde. Carbon monoxide. Carbon dioxide (CO2). products

#### Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

#### **Acute Toxicity**

Product Information	Harmful by inhalation.
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

#### Numerical measures of toxicity

#### Unknown acute toxicity

39.96 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
39.96 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
80.02 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

## **BOSTIK EXPANDA PRO GUN FOAM**

Version 1

64.95 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isocyanic acid,	LD 50 > 10000 mg/kg ( Rat )	LD 50 > 9400 mg/kg (Rabbit)	=1.5 mg/m <sup>3</sup> (Rat) 4 h
polymethylenepolyphenylene ester			
9016-87-9			
2-Propanol, 1-chloro-, phosphate	LD50 > 500 - < 2000 mg/kg (male)	LD50 > 2000 mg/kg (Rat) OECD	> 4.6 mg/L (Rat)4 h
(3:1)	LD50 = 632  mg/kg (female) [Rat]	402	
13674-84-5			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation	No information available.
Serious Eye Damage/Eye Irritation	No information available.
Sensitization	No information available.
Germ Cell Mutagenicity	No information available.
Reproductive Toxicity	No information available.
STOT - Single Exposure	No information available.
STOT - Repeated Exposure	No information available.
Target Organ Effects	Heart, Central nervous system.
Aspiration hazard	No information available.
Carcinogenicity	No information available.

Chemical Name	IARC	China	Japan
Isocyanic acid,	Group 3	-	-
polymethylenepolyphenylene ester			
IARC (International Agency for	Group 3 - Not Classifiable as to Carcinogenicity in Humans		

gency for Research on Cancer)

Group 3 - Not Classifia ble as to Carcinogenicity in Humans

## Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

Ecotoxicity

## Product Information

None known.

#### **Component Information**

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Isocyanic acid,	ErC50 (72h) >1640 mg/L Algae	CL50 (96h) >1000 mg/L Fish	EC50 (24H) >1000 mg/L Daphnia
polymethylenepolyphenylene ester	(scenedesmus subspicatus)	(Danio rerio)	magna
9016-87-9	(OECD 201)		_
2-Propanol, 1-chloro-, phosphate	EC50 (72 h) = 82 mg/L	LC50 (96 h) = 51 mg/L	EC50 (48 h) = 131 mg/L (Daphnia
(3:1)	(Pseudokirchneriella subcapitata)	(Pimephales promelas)	magna)
13674-84-5	OECD 201		- , _ ,

#### 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

No information available.

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Version 1

#### 12.6. Other adverse effects

No information available.

## Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Waste from Residues/Unused Products	Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** 

Disposal should be in accordance with applicable regional, national and local laws and regulations.

## Section 14: TRANSPORTATION INFORMATION

UN/ID No     UN1950       Proper Shipping Name     Aerosols       Hazard Class     2.1       Marine Pollutant     Np	
Hazard Class     2.1       Marine Pollutant     Np	
Marine Pollutant Np	
EmS-No F-D, S-U	
<b>Special Provisions</b> 63,190, 277, 327, 344, 381, 959	
Limited Quantity (LQ) See SP277	
Description UN1950, Aerosols, 2.1	
ΙΑΤΑ	
UN/ID No UN1950	
Proper Shipping Name Aerosols, flammable, containing substances in Division 6.1, Packing Group III	
Hazard Class 2.1	
Subsidiary Hazard Class 6.1	
ERG Code 10P	
Limited Quantity (LQ) 30 kg G	
Special Provisions A145, A167, A802	
Description UN1950, Aerosols, flammable, containing substances in Division 6.1, Packing Group III,	,
2.1 (6.1)	
ADR_	
UN/ID No UN1950	
Proper Shipping Name Aerosols	
Hazard Class 2	
Hazard Labels 2.2 + 6.1	
Description UN1950, Aerosols, 2 (6.1), (D)	
Limited Quantity (LQ) 120 mL	
Special Provisions 190, 327, 344, 625	
Classification Code 5T	
Tunnel Restriction Code (D)	

## Section 15: REGULATORY INFORMATION

### National Regulations

## Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet No information available

#### Key Literature References and Sources for Data No information available

Prepared By	Product Safety & Regulatory Affairs
Revision Date	01-Nov-2017
Revision Note	Not applicable.
Training Advice	No information available

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet