

KONNECT ROOF & GUTTER GREY

Revision Number 2.01

Revision date 11-Nov-2019 Supersedes Date: 21-Jul-2019

Section 1: Identification: Product i	identifier and chemical identity
Product identifier	
Product Name	KONNECT ROOF & GUTTER GREY
Product Code(s) 30605339,30608608; PRGG	
Other means of identification	
Pure substance/mixture	Mixture
Recommended use of the chemica	al and restrictions on use
Recommended use	Sealant
Uses advised against	No information available
Details of manufacturer or importe	er
Supplier Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia Tel: 613 9279-9333 Fax: 613 9279-9342	
ABN: 79 003 893 838	
E-mail address	au-bostik-sds@bostik.com
Emergency telephone number	
Emergency telephone number	24-hr Emergency: 1800 033 111
Section 2: Hazard(s) identification	
GHS Classification	

Based on available information, this material is classified as hazardous according to criteria of Safe Work Australia

Carcinogenicity	Category 2 - (H351)

Label elements

Health hazard



KONNECT ROOF & GUTTER GREY

Revision Number 2.01

Signal word Warning

Hazard statements

H351 - Suspected of causing cancer

Precautionary Statements - Prevention

P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P281 - Use personal protective equipment as required
Precautionary Statements - Response
P308 + P313 - IF exposed or concerned: Get medical advice/attention
Precautionary Statements - Storage
P405 - Store locked up
Precautionary Statements - Disposal
P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

Small amounts of 2-butanone, oxime (CAS 96-29-7) are formed by hydrolysis and released upon curing Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Not applicable

Mixture

Chemical name	CAS No.	Weight-%
2-Butanone, O,O',O''-(methylsilylidyne)trioxime	22984-54-9	0 - <10
N-(3-(trimethoxysilyl)propyl)ethylenediamine	1760-24-3	0 - <10
2-Butanone, oxime	96-29-7	0 - <10
Toluene	108-88-3	0 - <10
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Emergency telephone number	Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766	
FIRST AID		
General advice	IF exposed or concerned: Get medical advice/attention.	
Inhalation	Remove to fresh air.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	Wash skin with soap and water.	
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth immediately and drink plenty of water. Get medical attention if symptoms occur.	

Most important symptoms and effects, both acute and delayed

KONNECT ROOF & GUTTER GREY

Symptoms	No information available.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		
Section 5: Firefighting measures			
Suitable extinguishing media			
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Unsuitable extinguishing media	No information available.		
Specific hazards arising from the o	hemical		
Specific hazards arising from the chemical	No information available.		
Special protective actions for fire-f	ighters		
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.		
Section 6: Accidental release meas	sures		
Personal precautions, protective e	quipment and emergency procedures		
Personal precautions	Ensure adequate ventilation.		
Other information	Refer to protective measures listed in Sections 7 and 8.		
For emergency responders	Use personal protection recommended in Section 8.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containm	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Pick up and transfer to properly labeled containers.		
Precautions to prevent secondary hazards			
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
Section 7: Handling and storage, in	ncluding how the chemical may be safely used		
Precautions for safe handling			
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.		
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.		

Conditions for safe storage, including any incompatibilities

KONNECT ROOF & GUTTER GREY

Storage Conditions Keep of

Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials

None known based on information supplied.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

Chemical name	Australia
Toluene	50 ppm TWA
108-88-3	191 mg/m ³ TWA
	150 ppm STEL
	574 mg/m ³ STEL

OEL as published by Safe Work Australia

Appropriate engineering controls

Engineering controls	Showers	
	Eyewash stations	
	Ventilation systems.	

Individual protection measures, such as personal protective equipment

Eye/face protection	No special protective equipment required.
Skin and body protection	Wear suitable protective clothing.
Hand protection	Wear suitable gloves. Butyl rubber. Nitrile rubber. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Organic gases and vapors filter conforming to EN 14387 White Brown
Environmental exposure controls	No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold	Paste / Gel Liquid Very viscous paste Gray Organic No information available	
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range Flash point	<u>Values</u> Not applicable . No data available No data available No data available	<u>Remarks</u> • Method
Evaporation rate	No data available	
Flammability (solid, gas) Flammability Limit in Air	Not applicable for liquids .	
Upper flammability or explosive limits	No data available	
Lower flammability or explosive	No data available	

KONNECT ROOF & GUTTER GREY Revision Number 2.01

Revision date 11-Nov-2019 Supersedes Date: 21-Jul-2019

limits Vapor pressure Vapor density Relative density Water solubility Solubility(ies) Partition coefficient Autoignition temperature Decomposition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties Other information Solid content (%) VOC Content (%) Density	No data available No data available No data available Insoluble in water No data available No data available No data available No data available 150000 - 250000 mPa s No information available No information available No information available No information available No information available		
Section 10: Stability and reactivity	,		
Reactivity_			
Reactivity	No information available.		
Chemical stability			
Stability	Stable under normal conditions.		
Explosion Data Sensitivity to mechanical impact Sensitivity to static discharge	None. None.		
Possibility of hazardous reactions			
Possibility of hazardous reactions	None under normal processing.		
Conditions to avoid			
Conditions to avoid	Protect from moisture. Product cures with moisture.		
Incompatible materials			
Incompatible materials	None known based on information supplied.		
Hazardous decomposition products			
Hazardous decomposition products	Methyl alcohol. May emit toxic fumes under fire conditions. Carbon oxides.		
Section 11: Toxicological information			
Acute Toxicity			
Information on likely routes of exposure			
Product Information			
Inhalation	May cause irritation.		

KONNECT ROOF & GUTTER GREY Revision Number 2.01

Eye contact	May cause irritation.
Skin contact	May cause irritation. May cause sensitization in susceptible persons.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms	No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (dermal) 55,000.00 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butanone,	LD50 = 2463 mg/Kg (Rattus)	LD50 >2000 mg/Kg (Rattus)	-
O,O',O''-(methylsilylidyne)trioxi	(OECD 401)	(OECD 402)	
me			
N-(3-(trimethoxysilyl)propyl)eth	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44
ylenediamine			mg/L air
2-Butanone, oxime	=930 mg/kg (Rattus)	1000 - 1800 mg/kg	>4.83 mg/L (Rattus) 4 h
		(Oryctolagus cuniculus)	
Toluene	=5580 mg/kg (Rattus)	= 12000 mg/kg (Oryctolagus	>20 mg/L (Rattus) 4 h
		cuniculus)	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Component Information					
N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)					
Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit				Mild skin irritant
Acute Dermal					
Irritation/Corrosion					

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Based on available data, the classification criteria are not met. May cause sensitization in susceptible persons.

Component Information				
N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)				
Method	Species	Exposure route	Results	
OECD Test No. 406: Skin	Guinea pig	Dermal	sensitizing	
Sensitization				

Germ cell mutagenicity

No information available.

Carcinogenicity

Contains a known or suspected carcinogen.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia
2-Butanone, oxime	Carc. 2
96-29-7	

Reproductive toxicity

No information available.

KONNECT ROOF & GUTTER GREY

Revision Number 2.01

Component Information				
Toluene (108-88-3)				
Method		Species	Results	
OECD 407		in vivo	Reproductive toxicant	
STOT - single exposure	No informa	No information available.		
STOT - repeated exposure	No information available.			
Aspiration hazard	Not applica	ble.		

Section 12: Ecological information

.

Ecotoxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
2-Butanone, O,O',O''-(methylsilylidyn e)trioxime 22984-54-9		EC50 (96h) >120 mg/L (Oncorhynchus mykiss)Freshwater static (OECD guideline 203)	-	EC50 (48h) > 120 mg/L (Daphnia magna) OECD 202
N-(3-(trimethoxysilyl)pro pyl)ethylenediamine 1760-24-3	-	LC50 (96H) =597 mg/L (Danio rerio)Semi-static	-	EC50 (48h) =81mg/L Daphnia magna Static
2-Butanone, oxime 96-29-7	EC50: =83mg/L (72h, Desmodesmus subspicatus)	LC50: =760mg/L (96h, Poecilia reticulata) LC50: 777 - 914mg/L (96h, Pimephales promelas) LC50: 320 - 1000mg/L (96h, Leuciscus idus)	EC50 = 281 mg/L 17 h EC50 = 950 mg/L 5 min	EC50: =750mg/L (48h, Daphnia magna)
Toluene 108-88-3	EC50 72 h = 12.5 mg/L (Pseudokirchneriella subcapitata)	LC50 96 h 5.89 - 7.81 mg/L (Oncorhynchus mykiss flow-through) LC50 96 h = 5.8 mg/L (Oncorhynchus mykiss semi-static)	EC50 = 19.7 mg/L 30 min	EC50: =11.5mg/L (48h, Daphnia magna) EC50: 5.46 - 9.83mg/L (48h, Daphnia magna)

Persistence and degradability

Persistence and degradability Not readily biodegradable. Product cures with moisture.

Bioaccumulative potential

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient
2-Butanone, O,O',O"-(methylsilylidyne)trioxime 22984-54-9	1.69
N-(3-(trimethoxysilyl)propyl)ethylenediamine 1760-24-3	-0.3
2-Butanone, oxime 96-29-7	0.65
Toluene 108-88-3	2.7

<u>Mobility</u>		
Mobility in soil	No information available.	
Mobility	Insoluble in water.	
Other Adverse Effects		
Other adverse effects	No information available.	
Section 13: Disposal consideration	15	
Waste treatment methods		
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.	
Contaminated packaging	Do not reuse empty containers.	
Section 14: Transport information		
ADG	Not regulated	
ΙΑΤΑ	Not regulated	
IMDG	Not regulated	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available		

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations

Australia

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Toluene	10 tonne/yr Threshold category 1 20 MW Threshold category
108-88-3	2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

International Inventories AICS NZIoC

Listed Listed

KONNECT ROOF & GUTTER GREY

Revision Number 2.01

ENCS	Not Listed
IECSC	Not Listed
KECL	Not Listed
PICCS	Listed

Legend:

AICS - Australian Inventory of Chemical Substances

NZIOC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Any other relevant information

Prepared By

Product Safety & Regulatory Affairs

Revision date

11-Nov-2019

Revision note

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

 TWA
 TWA (time-weighted average)

 Ceiling
 Maximum limit value

 C
 Carcinogen

 Section 11: TOXICOLOGICAL INFORMATION

 LD50 (lethal dose)

 Section 12: Ecological information

EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

STEL

End of Safety Data Sheet

STEL (Short Term Exposure Limit)

Skin designation